

Name Deer Mountain Lot 2 911 Address

Date 2-7-08

N.C. Registration Number

Environmental Health Specialist

Issued by [Signature]

THIS IS NOT AUTHORIZATION TO INSTALL. An authorization for Wastewater Construction must be obtained from this department before installation.

This permit is valid [X] for five years [] without expiration [] but is subject to revocation if the site is altered, soil disturbed, set-backs violated, or the plans of intended use are changed.

A plat with site plan showing specific location of the facility, the site for the proposed wastewater system, existing buildings, property lines, water supplies, surface waters, the conditions for any site modifications; and any other information required by the department must be attached to be valid.

Special Conditions

Repair System Type: I () II () III (X) IV () V () VI () Description: Pump to Accept 25% Reduction

(On contour in approved septic area; sch. 40 PVC required over step-downs)

6" cover required over system area

Design Flow 1180 GPD Application Rate 3 GPD/ft² Size Tank(s) w/Risers and Effluent Filter ST 1000 Gal PT 1000 Gal Nitrification Line (Length/Width/Max Depth) 100' x 3' x 12"

Type System: Shallow Conventional () LPP () Other Pump to Accept 25% Reduction

Initial System Type: I () II () III (X) IV () V () VI () Description:

Type Wastewater: Residential (X) Commercial () No. Bedrooms 4 No. Residents/Employees 8 max Facility: Residential (X) Non-Residential ()

in Chatham County. It is specifically issued for the following facility:

a 2.90 acre site located Deer Mountain Lot 2

An Improvement Permit is issued to Selinco, Ltd. for

NEW [X] REPAIR [] EXPANSION [] REVISED []

Improvement Permit for Wastewater Systems ARTICLE II-CHAPTER 130A OF THE NC GENERAL STATUTES

80 East Street • P. O. Box 130 • Pittsboro, NC 27312-0130 Phone (919) 542-8208 Fax (919) 542-8288

CHATHAM COUNTY HEALTH DEPARTMENT ENVIRONMENTAL HEALTH DIVISION

OFFICE USE ONLY TPN Permit No. Date EHS System Type